

Attn.: _____

HIROSE ELECTRIC CO., LTD.
5-23, OSAKI 5-CHOME, SHINAGAWA-KU, TOKYO, JAPAN

Product Change Notification

We are writing today to inform you that we will make some product changes for the reasons described below.

We will announce them in advance.

1	Products affected	Please refer to attachments for the affected product names.
2	Substitute products	Please refer to attachments for the substitute product names.
3	Classification of change	For discontinued sales.
4	Reason for change	Due to scarce demand and aging of the production facilities.
5	Date of final reception of orders for the current product	June 30, 2021
6	Date of final shipment of the current product	June 30, 2022
7	Date of your acknowledgement	By June 30, 2020

We kindly request that you let a Hirose business representative know you acknowledge this matter by the aforementioned date of your acknowledgement.

In the absence of a response by the acknowledgement date, please be advised that your products for delivery will be changed as described above.

If you should have any questions, please feel free to contact a Hirose business representative.

Your understanding and cooperation are highly appreciated.

■ Product List Business 430-19004_FY2019 Discontinued Sales of Connector

No.	Current product		Substitute product		Remarks	
	Product code	Product name	Product code	Product name	Current product	Substitute product
1	313-0572-5-41	1.0/2.3(75)-R-PC-1(41)				
2	223-0096-0-30	2C51-4(6MB)(30)	We have no plan to sell substitute products.		-	-
3	223-0099-8-30	2C-8B(30)	We're sorry to cause any inconvenience to you.		-	-
4	302-0270-2-40	3CT-P3(40)	302-0210-0-42	3CT-P(42)	armor -Contact: Shilver plating	armor: Shilver plating, Contact: Gold plating
5	302-0269-3-40	3CV-P3(40)	302-0202-2-46	3CV-P2(46)	armor -Contact: Shilver plating	armor: Shilver plating, Contact: Gold plating
6	302-0336-9-40	3DW-P3(40)	We have no plan to sell substitute products.		-	-
7	354-0259-9-00	AT(PO)-106	We're sorry to cause any inconvenience to you.		-	-
8	354-0015-4-70	AT-101(70)	354-0015-4-40	AT-101(40)	Few screw thread type	Standard
9	354-0016-7-70	AT-102(70)	354-0016-7-40	AT-102(40)	Few screw thread type	Standard
10	354-0017-0-70	AT-103(70)	354-0017-0-40	AT-103(40)	Few screw thread type	Standard
11	354-0018-2-46	AT-104(46)	354-0018-2-40	AT-104(40)	Exclusive label attached	Standard
12	354-0019-5-46	AT-105(46)	354-0019-5-40	AT-105(40)	Exclusive label attached	Standard
13	354-0020-4-70	AT-106(70)	354-0020-4-40	AT-106(40)	Few screw thread type	Standard
14	354-0024-5-70	AT-110(70)	354-0024-5-40	AT-110(40)	Few screw thread type	Standard
15	354-0027-3-70	AT-120(70)	354-0027-3-40	AT-120(40)	Few screw thread type	Standard
16	354-0170-7-40	AT-913(40)			-	-
17	354-0065-2-40	AT-920(40)			-	-
18	321-4165-8-01	B75BPJ-PO6LP-1.5CV-250RS	We have no plan to sell substitute products.		-	-
19	321-4165-8-02	B75BPJ-PO6LP-1.5CV-300RS	We're sorry to cause any inconvenience to you.		-	-
20	321-4165-8-03	B75BPJ-PO6LP-1.5CV-350RS			-	-
21	321-4165-8-04	B75BPJ-PO6LP-1.5CV-400RS			-	-
22	321-5943-7-01	BBPJ41-PL75LP-1.5CV-A-165			-	-
23	684-6304-0-51	BM10B(0.6)-10DP-0.4V(51)	684-9300-6-51	BM20B(0.6)-10DP-0.4V(51)	Depth: 2.98mm	Depth: 2.3mm
24	684-6304-0-73	BM10B(0.6)-10DP-0.4V(73)	684-9300-6-51	BM20B(0.6)-10DP-0.4V(51)	Depth: 2.98mm	Depth: 2.3mm
25	684-6313-1-51	BM10B(0.6)-20DP-0.4V(51)	684-9301-9-51	BM20B(0.6)-20DP-0.4V(51)	Depth: 2.98mm	Depth: 2.3mm
26	684-6302-5-51	BM10B(0.6)-24DP-0.4V(51)	684-9302-1-51	BM20B(0.6)-24DP-0.4V(51)	Depth: 2.98mm	Depth: 2.3mm
27	684-6307-9-51	BM10B(0.6)-30DP-0.4V(51)	684-9303-4-51	BM20B(0.6)-30DP-0.4V(51)	Depth: 2.98mm	Depth: 2.3mm
28	684-6316-0-51	BM10B(0.6)-40DP-0.4V(51)	684-9305-0-51	BM20B(0.6)-40DP-0.4V(51)	Depth: 2.98mm	Depth: 2.3mm
29	684-6309-4-51	BM10B(0.6)-50DP-0.4V(51)	684-9306-2-51	BM20B(0.6)-50DP-0.4V(51)	Depth: 2.98mm	Depth: 2.3mm
30	684-6300-0-51	BM10B(0.6)-60DP-0.4V(51)	684-9307-5-51	BM20B(0.6)-60DP-0.4V(51)	Depth: 2.98mm	Depth: 2.3mm
31	684-6007-5-75	BM10B(0.8)-10DP-0.4V(75)	684-6007-5-51	BM10B(0.8)-10DP-0.4V(51)	Gold plating: 0.1µm	Gold plating: 0.05µm
32	684-6013-8-75	BM10B(0.8)-30DP-0.4V(75)	684-6013-8-51	BM10B(0.8)-30DP-0.4V(51)	Gold plating: 0.1µm	Gold plating: 0.05µm
33	684-6003-4-75	BM10B(0.8)-40DP-0.4V(75)	684-6003-4-51	BM10B(0.8)-40DP-0.4V(51)	Gold plating: 0.1µm	Gold plating: 0.05µm
34	684-6039-1-75	BM10B(0.8)-44DP-0.4V(75)	684-6039-1-51	BM10B(0.8)-44DP-0.4V(51)	Gold plating: 0.1µm	Gold plating: 0.05µm
35	684-6017-9-75	BM10B(0.8)-50DP-0.4V(75)	684-6017-9-51	BM10B(0.8)-50DP-0.4V(51)	Gold plating: 0.1µm	Gold plating: 0.05µm
36	684-6001-9-75	BM10B(0.8)-60DP-0.4V(75)	684-6001-9-51	BM10B(0.8)-60DP-0.4V(51)	Gold plating: 0.1µm	Gold plating: 0.05µm
37	684-6305-3-51	BM10NB(0.6)-10DS-0.4V(51)	684-9308-8-51	BM20B(0.6)-10DS-0.4V(51)	Depth: 2.98mm	Depth: 2.3mm
38	684-6305-3-73	BM10NB(0.6)-10DS-0.4V(73)	684-9308-8-51	BM20B(0.6)-10DS-0.4V(51)	Depth: 2.98mm	Depth: 2.3mm
39	684-6314-4-51	BM10NB(0.6)-20DS-0.4V(51)	684-9309-0-51	BM20B(0.6)-20DS-0.4V(51)	Depth: 2.98mm	Depth: 2.3mm
40	684-6314-4-73	BM10NB(0.6)-20DS-0.4V(73)	684-9309-0-51	BM20B(0.6)-20DS-0.4V(51)	Depth: 2.98mm	Depth: 2.3mm
41	684-6314-4-75	BM10NB(0.6)-20DS-0.4V(75)	684-9309-0-51	BM20B(0.6)-20DS-0.4V(51)	Depth: 2.98mm	Depth: 2.3mm
42	684-6303-8-51	BM10NB(0.6)-24DS-0.4V(51)	684-9310-0-51	BM20B(0.6)-24DS-0.4V(51)	Depth: 2.98mm	Depth: 2.3mm
43	684-6315-7-51	BM10NB(0.6)-30DS-0.4V(51)	684-9311-2-51	BM20B(0.6)-30DS-0.4V(51)	Depth: 2.98mm	Depth: 2.3mm
44	684-6317-2-51	BM10NB(0.6)-40DS-0.4V(51)	684-9313-8-51	BM20B(0.6)-40DS-0.4V(51)	Depth: 2.98mm	Depth: 2.3mm
45	684-6319-8-51	BM10NB(0.6)-50DS-0.4V(51)	684-9314-0-51	BM20B(0.6)-50DS-0.4V(51)	Depth: 2.98mm	Depth: 2.3mm
46	684-6301-2-51	BM10NB(0.6)-60DS-0.4V(51)	684-9315-3-51	BM20B(0.6)-60DS-0.4V(51)	Depth: 2.98mm	Depth: 2.3mm
47	684-6100-0-75	BM10NB(0.8)-10DS-0.4V(75)	684-6100-0-51	BM10NB(0.8)-10DS-0.4V(51)	Gold plating: 0.1µm	Gold plating: 0.05µm
48	684-6101-3-75	BM10NB(0.8)-24DS-0.4V(75)	684-6101-3-51	BM10NB(0.8)-24DS-0.4V(51)	Gold plating: 0.1µm	Gold plating: 0.05µm
49	684-6106-7-75	BM10NB(0.8)-30DS-0.4V(75)	684-6106-7-51	BM10NB(0.8)-30DS-0.4V(51)	Gold plating: 0.1µm	Gold plating: 0.05µm
50	684-6107-0-75	BM10NB(0.8)-40DS-0.4V(75)	684-6107-0-51	BM10NB(0.8)-40DS-0.4V(51)	Gold plating: 0.1µm	Gold plating: 0.05µm
51	684-6109-5-75	BM10NB(0.8)-44DS-0.4V(75)	684-6109-5-51	BM10NB(0.8)-44DS-0.4V(51)	Gold plating: 0.1µm	Gold plating: 0.05µm
52	684-6102-6-75	BM10NB(0.8)-50DS-0.4V(75)	684-6102-6-51	BM10NB(0.8)-50DS-0.4V(51)	Gold plating: 0.1µm	Gold plating: 0.05µm
53	684-6103-9-75	BM10NB(0.8)-60DS-0.4V(75)	684-6103-9-51	BM10NB(0.8)-60DS-0.4V(51)	Gold plating: 0.1µm	Gold plating: 0.05µm
54	684-8010-0-57	BM14B(0.8)-10DP-0.4V(57)			-	-
55	684-8010-0-62	BM14B(0.8)-10DP-0.4V(62)			-	-
56	684-8003-5-57	BM14B(0.8)-10DS-0.4V(57)			-	-
57	684-8003-5-62	BM14B(0.8)-10DS-0.4V(62)			-	-
58	684-8040-1-59	BM14C(0.8)-16DP-0.4V(59)			-	-
59	684-8039-2-59	BM14C(0.8)-16DS-0.4V(59)			-	-
60	684-8027-3-51	BM14C(0.8)-28DP-0.4V(51)	We have no plan to sell substitute products.		-	-
61	684-8019-5-51	BM14C(0.8)-28DS-0.4V(51)	We're sorry to cause any inconvenience to you.		-	-
62	684-8020-4-59	BM14C(0.8)-34DS-0.4V(59)			-	-
63	684-8029-9-51	BM14C(0.8)-38DP-0.4V(51)			-	-
64	684-8021-7-51	BM14C(0.8)-38DS-0.4V(51)			-	-
65	684-8157-9-51	BM14EC(1.3)-54DS-0.4V(51)			-	-
66	673-0023-5-51	BM15B(0.8)-60DS-0.35V(51)	480-0300-0-51	BM23FR0.8-60DS-0.35V(51)	Gold plating: 0.05µm Packing unit: 8,000	Gold plating: 0.05µm Packing unit: 10,000
67	673-0013-1-51	BM15B-60DP-0.35V(51)	480-0299-0-51	BM23FR0.8-60DP-0.35V(51)	Gold plating: 0.05µm Packing unit: 8,000	Gold plating: 0.05µm Packing unit: 10,000
68	684-9302-1-54	BM20B(0.6)-24DP-0.4V(54)	684-9302-1-51	BM20B(0.6)-24DP-0.4V(51)	Packing unit: 20,000	Packing unit: 8,000
69	684-9310-0-54	BM20B(0.6)-24DS-0.4V(54)	684-9310-0-51	BM20B(0.6)-24DS-0.4V(51)	Packing unit: 20,000	Packing unit: 8,000
70	684-9052-6-51	BM20C(0.8)-24DP-0.4V(51)	684-9003-0-51	BM20B(0.8)-24DP-0.4V(51)	Without metal fitting	With metal fitting
71	684-9053-9-51	BM20C(0.8)-30DP-0.4V(51)	684-9004-3-51	BM20B(0.8)-30DP-0.4V(51)	Without metal fitting	With metal fitting
72	684-9044-8-51	BM20WC(0.8)-24DS-0.4V(51)	684-9010-6-51	BM20B(0.8)-24DS-0.4V(51)	Depth: 2.5mm	Depth: 2.3mm
73	684-9045-0-51	BM20WC(0.8)-30DS-0.4V(51)	684-9011-9-51	BM20B(0.8)-30DS-0.4V(51)	Depth: 2.5mm	Depth: 2.3mm
74	661-2030-1-83	BM26C0.75-10DCP-2.0V(83)			-	-
75	661-2016-0-83	BM26C1.4-6DCP-1.0V(83)			-	-
76	661-2007-0-79	BM26C1.4-6DCP-1.6V(79)			-	-
77	661-2001-0-83	BM26C1.4-6DCP-1.6V(83)			-	-
78	661-2020-8-62	BM26C1.4-8DCP-1.6V(62)			-	-
79	661-2020-8-83	BM26C1.4-8DCP-1.6V(83)			-	-
80	661-2011-7-87	BM26C2.5-6DCP-1.6V(87)			-	-
81	661-2014-5-64	BM26C4.0-6DCP-1.6V(64)			-	-
82	661-2014-5-84	BM26C4.0-6DCP-1.6V(84)			-	-
83	661-2025-1-83	BM26PC0.9-10DCP-1.25V(83)			-	-
84	661-2027-7-83	BM26YC1.0-10DCP-1.6V(83)			-	-
85	661-2005-0-83	BM26YC1.0-4DCP-1.6V(83)			-	-
86	661-2026-4-62	BM26YC1.0-6DCP-1.6V(62)			-	-
87	661-2026-4-83	BM26YC1.0-6DCP-1.6V(83)			-	-
88	661-2022-3-83	BM26YC1.4-4DCP-1.0V(83)			-	-
89	684-1306-9-73	BM8C-10DP-0.4V(73)			-	-
90	684-1296-7-73	BM8C-40DP-0.4V(73)			-	-
91	684-1297-0-73	BM8C-40DS-0.4V(73)			-	-
92	684-1302-8-73	BM8C-50DP-0.4V(73)			-	-
93	684-1303-0-73	BM8C-50DS-0.4V(73)	We have no plan to sell substitute products.		-	-
94	684-1300-2-73	BM8C-60DP-0.4V(73)	We're sorry to cause any inconvenience to you.		-	-
95	684-1301-5-73	BM8C-60DS-0.4V(73)			-	-
96	302-0387-0-40	BNC(75)-BLR-PC-1(40)			-	-
97	311-0269-4-40	BNC(75)-PL-72J-BPA-1(40)			-	-
98	302-0371-0-40	BNC(75)-PJ-1.5CV-2P(40)			-	-
99	321-4128-1-00	BNC-2P-3CEV-1850RS			-	-
100	321-3974-0-01	BNC-J-1.5DV-A-100RS			-	-
101	311-0161-8-40	BNCJ-PODJ(40)			-	-
102	302-0075-7-40	BNC-LP-59U(40)			-	-
103	321-4150-0-01	BNC-P-PJ-3CEV-A-450RS			-	-
104	302-0365-7-40	BNC-P-0.8DV(40)			-	-
105	302-0258-7-40	BNC-P-2C(40)			-	-
106	321-4127-9-00	BNC-P-3CEV-1850RS			-	-
107	302-0382-6-40	BNC-P-DFS111(40)			-	-
108	302-0397-3-40	BNC-R-29(40)			-	-
109	302-0317-4-43	BNC-YA-JP(43)			-	-
110	206-5205-0-00	C-90HNE-A			-	-
111	689-0034-7-52	CB1EBG-10S-1.5H-PEJC2(52)			-	-
112	206-5024-0-00	C-G18FA-CB			-	-
113	206-5021-2-00	C-G18FA-H			-	-

No.	Current product		Substitute product		Remarks	
	Product code	Product name	Product code	Product name	Current product	Substitute product
114	206-5022-5-00	C-G18FA-SL			-	-
115	206-5035-7-00	C-G36FA-CCC			-	-
116	206-5023-8-00	C-GFA-CA			-	-
117	206-5027-9-00	C-GFA-CCA			-	-
118	206-5028-1-00	C-GFA-CCB			-	-
119	206-5025-3-00	C-GFA-L			-	-
120	206-5026-6-00	C-GFA-SB			-	-
121	206-5326-0-50	C-J18FNETS-01(50)			-	-
122	206-5204-2-50	C-J18FNEY-01(50)			-	-
123	206-5323-1-50	C-J18FNEYS-01(50)			-	-
124	250-0011-0-01	CTB-CUTTER(01)			-	-
125	250-0011-0-00	CTBボイコック ケツコキ			-	-
126	550-0126-6-00	DF1/AIR-PRESS/AP508			-	-
127	543-0520-0-80	DF11-10DP-2DSA(80)	543-0520-0-08	DF11-10DP-2DSA(08)	Low insertion force type/ Housing color: White	Standard insertion force type/ Housing color: Black
128	543-0521-2-87	DF11-12DP-2DSA(87)	543-0521-2-08	DF11-12DP-2DSA(08)	Housing color: Gray	Housing color: Black
129	541-0124-0-05	DF1-11S-2.5R28(05)	541-0048-3-05	DF1-11S-2.5R24(05)	AWG28 specification	AWG24 specification
130	541-0147-5-00	DF1-13S-2.5C	541-0050-5-05	DF1-13S-2.5R24(05)	Crimp socket	Insulation displacement socket (AWG24)
131	541-0126-5-05	DF1-13S-2.5R28(05)	541-0050-5-05	DF1-13S-2.5R24(05)	For AWG28	For AWG24
132	541-0072-8-05	DF1-16S-2.5R26(05)	541-0053-3-05	DF1-16S-2.5R24(05)	For AWG26	For AWG24
133	541-0320-8-17	DF1B-2ES-2.5RC(17)	541-0320-8-00	DF1B-2ES-2.5RC	Housing: color.Gray	Housing: color:White
134	541-0808-5-05	DF1BD-10P-2.5DSA(05)			-	-
135	541-0804-4-05	DF1BD-6P-2.5DSA(05)			-	-
136	541-0805-7-05	DF1BD-7P-2.5DSA(05)			-	-
137	541-0806-0-05	DF1BD-8P-2.5DSA(05)			-	-
138	541-2037-8-24	DF1BZ-5P-2.5DS(24)	541-2037-8-00	DF1BZ-5P-2.5DS	Increase contact fixation force	Standard
139	550-0162-0-00	DF4-TA2628HC			-	-
140	540-0017-3-69	DF9A-11P-1V(69)	540-0067-1-69	DF9-11P-1V(69)	With boss, Without metal fitting	With boss, With metal fitting
141	540-0018-6-69	DF9A-13P-1V(69)	540-0068-4-69	DF9-13P-1V(69)	With boss, Without metal fitting	With boss, With metal fitting
142	540-0007-0-69	DF9A-15S-1V(69)	540-0057-8-69	DF9-15S-1V(69)	With boss, Without metal fitting	With boss, With metal fitting
143	540-0021-0-69	DF9A-19P-1V(69)	540-0071-9-69	DF9-19P-1V(69)	With boss, Without metal fitting	With boss, With metal fitting
144	540-0009-5-22	DF9A-19S-1V(22)	540-0059-3-32	DF9-19S-1V(32)	With boss, Without metal fitting	With boss, With metal fitting
145	540-0023-6-22	DF9A-23P-1V(22)	540-0073-4-32	DF9-23P-1V(32)	With boss, Without metal fitting	With boss, With metal fitting
146	540-0011-7-22	DF9A-23S-1V(22)	540-0061-5-32	DF9-23S-1V(32)	With boss, Without metal fitting	With boss, With metal fitting
147	543-0614-1-05	DF11-8DP-SP2(05)	543-0611-3-05	DF11-8DP-SP1(05)	Odd contact/Even contact is short pin	All contact is short pin
148	536-0309-0-90	DF13A-10P-1.25H(90)	536-0309-0-21	DF13A-10P-1.25H(21)	Plastic reel	Paper reel
149	536-0303-3-90	DF13A-4P-1.25H(90)	536-0303-3-21	DF13A-4P-1.25H(21)	Plastic reel	Paper reel
150	536-0304-6-90	DF13A-5P-1.25H(90)	536-0304-6-21	DF13A-5P-1.25H(21)	Plastic reel	Paper reel
151	536-0059-4-77	DF13B-10P-1.25V(77)	536-0409-4-51	DF13C-10P-1.25V(51)	Gold plating: 0.76µm	Gold plating: 0.2µm
152	536-0057-9-77	DF13B-8P-1.25V(77)	536-0407-9-51	DF13C-8P-1.25V(51)	Gold plating: 0.76µm	Gold plating: 0.2µm
153	536-0403-8-90	DF13C-4P-1.25V(90)	536-0403-8-21	DF13C-4P-1.25V(21)	Plastic reel	Paper reel
154	536-0068-5-00	DF13H-4S-1.25C	536-0003-0-00	DF13-4S-1.25C	Polarity mark □	Polarity mark ▢
155	538-0177-3-56	DF14H-2P-1.25H(56)	538-0033-3-56	DF14A-2P-1.25H(56)	Offset type	On board type
156	683-0090-0-57	DF17(2,0)-100DP-0.5V(57)	684-4032-1-51	DF40C-100DP-0.4V(51)	P=0.5mm, Height: 5mm	P=0.4mm, Height: 1.5mm
157	683-0010-0-57	DF17(3,0)-100DS-0.5V(57)	684-4033-4-51	DF40C-100DS-0.4V(51)	P=0.5mm, Height: 5mm	P=0.4mm, Height: 1.5mm
158	683-0385-3-57	DF17(2,0)-120DP-0.5V(57)			-	-
159	683-0381-2-57	DF17(3,0)-120DS-0.5V(57)			-	-
160	683-0005-0-48	DF17(3,0)-50DS-0.5V(48)			-	-
161	683-0043-0-48	DF17(4,0)-30DS-0.5V(48)			-	-
162	683-0125-2-48	DF17(4,0)-50DP-0.5V(48)			-	-
163	683-0117-4-67	DF17C(2,0)-70DP-0.5V(67)			-	-
164	685-0024-8-54	DF19KR-14P-1H(54)	685-0003-8-54	DF19L-14P-1H(54)	Reverse offset type(On substrate: 1.0mm)	Offset type(On substrate: 1.1mm)
165	686-0033-5-56	DF20F-20DP-1V(56)	686-0033-5-56	DF20F-20DP-1V(56)	Housing color:Black	Housing color:Beige
166	686-0038-9-77	DF20G-20DP-1V(77)	686-0038-9-56	DF20G-20DP-1V(56)	Gold plating: 0.76µm	Gold plating: 0.2µm
167	688-0810-9-91	DF23C-22DP-0.5V(91)			-	-
168	688-0310-6-53	DF23C-22DS-0.5V(53)			-	-
169	688-0510-5-61	DF23E-10DP-0.5V(61)			-	-
170	688-0510-5-63	DF23E-10DP-0.5V(63)			-	-
171	688-0500-1-61	DF23E-10DS-0.5V(61)			-	-
172	688-0500-1-63	DF23E-10DS-0.5V(63)			-	-
173	688-0501-4-61	DF23E-18DS-0.5V(61)			-	-
174	688-0501-4-63	DF23E-18DS-0.5V(63)			-	-
175	688-0520-9-63	DF23E-22DS-0.5V(63)			-	-
176	688-0507-0-61	DF23E-40DS-0.5V(61)			-	-
177	684-1147-7-82	DF30CJ-20DP-0.4V(82)			-	-
178	684-1085-1-82	DF30CJ-20DS-0.4V(82)			-	-
179	684-1148-0-82	DF30CJ-22DP-0.4V(82)			-	-
180	684-1159-6-82	DF30CJ-22DS-0.4V(82)			-	-
181	684-1149-2-82	DF30CJ-24DP-0.4V(82)			-	-
182	684-1151-4-82	DF30CJ-34DP-0.4V(82)			-	-
183	684-1164-6-82	DF30CJ-34DS-0.4V(82)			-	-
184	684-1152-7-82	DF30CJ-40DP-0.4V(82)			-	-
185	684-1084-9-82	DF30CJ-40DS-0.4V(82)			-	-
186	684-1153-0-82	DF30CJ-50DP-0.4V(82)			-	-
187	684-1161-8-82	DF30CJ-50DS-0.4V(82)			-	-
188	684-1162-0-82	DF30CJ-60DS-0.4V(82)			-	-
189	684-1155-5-82	DF30CJ-70DP-0.4V(82)			-	-
190	684-1163-3-82	DF30CJ-70DS-0.4V(82)			-	-
191	684-1156-8-82	DF30CJ-80DP-0.4V(82)			-	-
192	684-1158-3-82	DF30CJ-80DS-0.4V(82)			-	-
193	684-1099-6-81	DF30FB-22DS-0.4V(81)	684-1100-3-81	DF30FB-24DS-0.4V(81)	22 PIN	24 PIN
194	684-1074-5-81	DF30FB-60DP-0.4V(81)	684-1287-6-81	DF30RB-60DP-0.4V(81)	Without withdrawal force improvement	Withdrawal force improvement
195	684-1312-1-81	DF30FC-14DS-0.4V(81)	684-1109-8-81	DF30FC-20DS-0.4V(81)	20 PIN	24 PIN
196	684-1139-9-81	DF30FC-22DP-0.4V(81)	684-1270-3-81	DF30RC-24DP-0.4V(81)	22 PIN	24 PIN
197	684-1110-7-81	DF30FC-22DS-0.4V(81)	684-1111-0-81	DF30FC-24DS-0.4V(81)	22 PIN	24 PIN
198	684-1110-7-82	DF30FC-22DS-0.4V(82)	684-1111-0-81	DF30FC-24DS-0.4V(81)	22 PIN	24 PIN
199	684-1140-8-95	DF30FC-24DP-0.4V(95)	684-1270-3-81	DF30RC-24DP-0.4V(81)	Without withdrawal force improvement	Withdrawal force improvement
200	684-1176-5-81	DF30FC-44DP-0.4V(81)	684-1274-4-81	DF30RC-44DP-0.4V(81)	Without withdrawal force improvement	Withdrawal force improvement
201	684-1280-7-81	DF30RB-22DP-0.4V(81)	684-1281-0-81	DF30RB-24DP-0.4V(81)	22 PIN	24 PIN
202	684-1290-0-81	DF30RC-14DP-0.4V(81)	684-1268-1-81	DF30RC-20DP-0.4V(81)	14 PIN	20 PIN
203	684-1269-4-81	DF30RC-22DP-0.4V(81)	684-1270-3-81	DF30RC-24DP-0.4V(81)	22 PIN	24 PIN
204	684-3012-9-75	DF37B-50DP-0.4V(75)	684-3012-9-51	DF37B-50DP-0.4V(51)	Gold plating: 0.1µm	Gold plating: 0.05µm
205	684-3071-8-51	DF37B-74DP-0.4V(51)			-	-
206	684-3071-8-75	DF37B-74DP-0.4V(75)			-	-
207	684-3025-0-75	DF37C-24DP-0.4V(75)	684-3025-0-51	DF37C-24DP-0.4V(51)	Gold plating: 0.1µm	Gold plating: 0.05µm
208	684-3026-3-75	DF37C-30DP-0.4V(75)	684-3026-3-51	DF37C-30DP-0.4V(51)	Gold plating: 0.1µm	Gold plating: 0.05µm
209	684-3085-2-75	DF37C-34DP-0.4V(75)	684-3085-2-51	DF37C-34DP-0.4V(51)	Gold plating: 0.1µm	Gold plating: 0.05µm
210	684-3027-6-75	DF37C-40DP-0.4V(75)	684-3027-6-51	DF37C-40DP-0.4V(51)	Gold plating: 0.1µm	Gold plating: 0.05µm
211	684-3089-3-75	DF37C-44DP-0.4V(75)	684-3089-3-51	DF37C-44DP-0.4V(51)	Gold plating: 0.1µm	Gold plating: 0.05µm
212	684-3029-1-75	DF37C-60DP-0.4V(75)	684-3029-1-51	DF37C-60DP-0.4V(51)	Gold plating: 0.1µm	Gold plating: 0.05µm
213	684-3073-3-51	DF37C-74DP-0.4V(51)			-	-
214	684-3073-3-60	DF37C-74DP-0.4V(60)			-	-
215	684-3075-9-53	DF37CJ-74DP-0.4V(53)			-	-
216	684-3074-6-53	DF37CJ-74DS-0.4V(53)			-	-
217	684-3103-2-52	DF37CJT-20DS-0.4V(52)	684-3044-5-53	DF37CJ-20DS-0.4V(53)	3000 times insertions and extractions.	500 times insertions and extractions.
218	684-3106-0-52	DF37CJT-24DS-0.4V(52)	684-3046-0-53	DF37CJ-24DS-0.4V(53)	3000 times insertions and extractions.	500 times insertions and extractions.
219	684-3104-5-52	DF37CJT-40DS-0.4V(52)	684-3050-8-53	DF37CJ-40DS-0.4V(53)	3000 times insertions and extractions.	500 times insertions and extractions.
220	684-3105-8-52	DF37CJT-44DS-0.4V(52)			-	-
221	684-3307-2-74	DF37NB-50DS-0.4V(74)	684-3307-2-51	DF37NB-50DS-0.4V(51)	Gold plating: 0.1µm, Packing unit: 1,000	Gold plating: 0.05µm, Packing unit: 8,000
222	684-3307-2-75	DF37NB-50DS-0.4V(75)	684-3307-2-51	DF37NB-50DS-0.4V(51)	Gold plating: 0.1µm	Gold plating: 0.05µm
223	684-3409-2-75	DF37NB-70DS-0.4V(75)	684-3409-2-51	DF37NB-70DS-0.4V(51)	Gold plating: 0.1µm	Gold plating: 0.05µm
224	684-3080-9-51	DF37NB-74DS-0.4V(51)			-	-
225	684-3080-9-75	DF37NB-74DS-0.4V(75)			-	-
226	684-3312-2-75	DF37NC-24DS-0.4V(75)	684-3312-2-51	DF37NC-24DS-0.4V(51)	Gold plating: 0.1µm	Gold plating: 0.05µm

No.	Current product		Substitute product		Remarks	
	Product code	Product name	Product code	Product name	Current product	Substitute product
227	684-3313-5-74	DF37NC-30DS-0.4V(74)	684-3313-5-51	DF37NC-30DS-0.4V(51)	Gold plating: 0.1µm, Packing unit: 1,000	Gold plating: 0.05µm, Packing unit: 8,000
228	684-3313-5-75	DF37NC-30DS-0.4V(75)	684-3313-5-51	DF37NC-30DS-0.4V(51)	Gold plating: 0.1µm	Gold plating: 0.05µm
229	684-3083-7-75	DF37NC-34DS-0.4V(75)	684-3083-7-51	DF37NC-34DS-0.4V(51)	Gold plating: 0.1µm	Gold plating: 0.05µm
230	684-3314-8-75	DF37NC-40DS-0.4V(75)	684-3314-8-51	DF37NC-40DS-0.4V(51)	Gold plating: 0.1µm	Gold plating: 0.05µm
231	684-3324-1-75	DF37NC-44DS-0.4V(75)	684-3324-1-51	DF37NC-44DS-0.4V(51)	Gold plating: 0.1µm	Gold plating: 0.05µm
232	684-3316-3-75	DF37NC-60DS-0.4V(75)	684-3316-3-51	DF37NC-60DS-0.4V(51)	Gold plating: 0.1µm	Gold plating: 0.05µm
233	684-3081-1-51	DF37NC-74DS-0.4V(51)	We have no plan to sell substitute products.		-	-
234	684-3081-1-60	DF37NC-74DS-0.4V(60)	We're sorry to cause any inconvenience to you.		-	-
235	684-3502-8-51	DF37SB-20DS-0.4V(51)	684-3303-1-51	DF37NB-20DS-0.4V(51)	Depth: 2.6mm	Depth: 2.98mm
236	684-3506-9-51	DF37SB-40DS-0.4V(51)	684-3306-0-51	DF37NB-40DS-0.4V(51)	Depth: 2.6mm	Depth: 2.98mm
237	684-3507-1-55	DF37SB-50DS-0.4V(55)	684-3307-2-51	DF37NB-50DS-0.4V(51)	Depth: 2.6mm	Depth: 2.98mm
238	684-3508-4-51	DF37SB-60DS-0.4V(51)	684-3308-5-51	DF37NB-60DS-0.4V(51)	Depth: 2.6mm	Depth: 2.98mm
239	684-4128-9-75	DF40B(2.0)-80DS-0.4V(75)	684-4128-9-51	DF40B(2.0)-80DS-0.4V(51)	Gold plating: 0.1µm	Gold plating: 0.05µm
240	684-4007-4-70	DF40C-30DS-0.4V(70)	684-4007-4-51	DF40C-30DS-0.4V(51)	Special embossed packing	Standard packing
241	684-4001-8-75	DF40C-80DP-0.4V(75)	684-4001-8-51	DF40C-80DP-0.4V(51)	Gold plating: 0.1µm	Gold plating: 0.05µm
242	684-4181-1-51	DF40DG(1.5)-30DS-0.4V(51)	684-4198-4-51	DF40GB(1.5)-30DS-0.4V(51)	Shield's surface: tin plating	Shield's surface: gold plating
243	684-4160-1-51	DF40G-30DP-0.4V(51)	684-4200-4-51	DF40GB-30DP-0.4V(51)	Metal fitting tin plating	Metal fitting gold plating
244	684-4200-4-62	DF40GB-30DP-0.4V(62)	684-4200-4-51	DF40GB-30DP-0.4V(51)	Metal fitting tin plating	Metal fitting gold plating
245	230-0240-2-50	DX10A-68SW1(50)	230-0051-0-50	DX10A-68S(50)	2port Cover case: DX-68-CV7(02)	1port Cover case: DX-68-CV1
246	230-5256-0-50	DX10LM-14SE(50)	We have no plan to sell substitute products.		-	-
247	230-5259-8-50	DX40LM-14P(50)	We're sorry to cause any inconvenience to you.		-	-
248	321-2280-5-06	E FL-LP-04-A-(70)-1			-	-
249	586-0522-3-81	FH12-10S-0.5SH(81)	586-0522-3-55	FH12-10S-0.5SH(55)	Tin reflow plating	Gold plating
250	586-0560-2-89	FH12-10S-0.5SV(89)	586-0806-0-54	FH12-10S-0.5SVA(54)	Tin reflow plating Actuator: Black	Gold plating Actuator: Brown
251	586-0600-5-54	FH12-11S-0.5SH(54)	586-0600-5-55	FH12-11S-0.5SH(55)	Partial gold plating	Full gold plating
252	586-0549-0-14	FH12-13S-0.5SH(14)	We have no plan to sell substitute products.		-	-
253	586-0549-0-54	FH12-13S-0.5SH(54)	586-0549-0-55	FH12-13S-0.5SH(55)	Partial gold plating	Full gold plating
254	586-0538-3-55	FH12-14(6)SA-1SH(55)	We have no plan to sell substitute products.		-	-
255	586-0533-0-54	FH12-14S-0.5SH(54)	We're sorry to cause any inconvenience to you.		-	-
256	586-0523-6-54	FH12-15S-0.5SH(54)	586-0533-0-55	FH12-14S-0.5SH(55)	Partial gold plating	Full gold plating
257	586-0531-4-54	FH12-16S-0.5SH(54)	586-0523-6-55	FH12-15S-0.5SH(55)	Partial gold plating	Full gold plating
258	586-0806-1-54	FH12-17S-0.5SH(54)	586-0531-4-55	FH12-16S-0.5SH(55)	Partial gold plating	Full gold plating
259	528-0042-7-98	FH12-18(8)SA-1SH(1)(98)	586-0606-1-55	FH12-17S-0.5SH(55)	Partial gold plating	Full gold plating
260	586-0539-6-55	FH12-18(8)SA-1SH(55)	We have no plan to sell substitute products.		-	-
261	586-0530-1-81	FH12-18S-0.5SH(81)	We're sorry to cause any inconvenience to you.		-	-
262	586-0534-2-54	FH12-19S-0.5SH(54)	586-0530-1-55	FH12-18S-0.5SH(55)	Tin reflow plating	Gold plating
263	528-0013-9-09	FH12-20S-0.5SH(1)(09)	586-0534-2-55	FH12-19S-0.5SH(55)	Partial gold plating	Full gold plating
264	586-0524-9-54	FH12-20S-0.5SH(54)	586-0524-9-55	FH12-20S-0.5SH(55)	Gold plating: 0.76µm	Gold plating: 0.05µm
265	586-0562-8-82	FH12-20S-0.5SV(82)	586-0524-9-55	FH12-20S-0.5SH(55)	Partial gold plating	Full gold plating
266	528-0101-4-09	FH12-20S-0.5SVA(1)(09)	586-0812-3-54	FH12-20S-0.5SVA(54)	Tin reflow plating	Gold plating
267	586-0532-7-54	FH12-22S-0.5SH(54)	586-0812-3-54	FH12-20S-0.5SVA(54)	Gold plating: 0.76µm	Gold plating: 0.05µm
268	528-0044-2-98	FH12-22(11)SA-1SH(1)(98)	586-0532-7-55	FH12-22S-0.5SH(55)	Partial gold plating	Full gold plating
269	586-0542-0-55	FH12-22(11)SA-1SH(55)	We have no plan to sell substitute products.		-	-
270	586-0692-3-54	FH12-25S-0.5SH(54)	We're sorry to cause any inconvenience to you.		-	-
271	586-0612-4-54	FH12-28S-0.5SH(54)	586-0692-3-55	FH12-25S-0.5SH(55)	Partial gold plating	Full gold plating
272	528-0045-5-98	FH12-30(14)SA-1SH(1)(98)	586-0612-4-55	FH12-28S-0.5SH(55)	Partial gold plating	Full gold plating
273	528-0019-5-09	FH12-30S-0.5SH(1)(09)	We have no plan to sell substitute products.		-	-
274	586-0564-3-89	FH12-30S-0.5SV(89)	We're sorry to cause any inconvenience to you.		-	-
275	528-0102-7-09	FH12-30S-0.5SVA(1)(09)	586-0525-1-55	FH12-30S-0.5SH(55)	Gold plating: 0.76µm	Gold plating: 0.05µm
276	586-0750-8-55	FH12-30S-0.5SVA(55)	586-0750-8-54	FH12-30S-0.5SVA(54)	Tin reflow plating Actuator: Black	Gold plating Actuator: Brown
277	586-0681-7-54	FH12-32S-0.5SH(54)	586-0750-8-54	FH12-30S-0.5SVA(54)	Gold plating: 0.76µm	Gold plating: 0.05µm
278	586-0681-7-81	FH12-32S-0.5SH(81)	586-0681-7-55	FH12-32S-0.5SH(55)	Full gold plating	Partial gold plating
279	586-0520-8-57	FH12-33S-0.5SH(57)	586-0681-7-55	FH12-32S-0.5SH(55)	Partial gold plating	Full gold plating
280	586-0520-8-81	FH12-33S-0.5SH(81)	586-0520-8-55	FH12-33S-0.5SH(55)	Tin reflow plating	Gold plating
281	586-0617-8-82	FH12-34S-0.5SH(82)	586-0520-8-55	FH12-33S-0.5SH(55)	Gold plating: 0.1µm	Gold plating: 0.05µm
282	586-0740-4-54	FH12-35S-0.5SH(54)	586-0617-8-55	FH12-34S-0.5SH(55)	Tin reflow plating	Gold plating
283	528-0046-8-98	FH12-40(19)SA-1SH(1)(98)	586-0740-4-55	FH12-35S-0.5SH(55)	Partial gold plating	Full gold plating
284	586-0546-1-55	FH12-40(19)SA-1SH(55)	We have no plan to sell substitute products.		-	-
285	586-0527-7-82	FH12-40S-0.5SH(82)	We're sorry to cause any inconvenience to you.		-	-
286	586-0528-0-54	FH12-45S-0.5SH(54)	586-0527-7-55	FH12-40S-0.5SH(55)	Tin reflow plating	Gold plating
287	528-0027-3-29	FH12-50S-0.5SH(1)(29)	586-0528-0-55	FH12-45S-0.5SH(55)	Partial gold plating	Full gold plating
288	586-0595-7-54	FH12-53S-0.5SH(54)	586-0529-2-55	FH12-50S-0.5SH(55)	Gold plating: 0.76µm	Gold plating: 0.05µm
289	586-0582-5-54	FH12-6S-0.5SH(54)	586-0595-7-55	FH12-53S-0.5SH(55)	Embossed tape & Plastic reel: Antistatic	Embossed tape & Plastic reel: Standard
290	586-0582-5-81	FH12-6S-0.5SH(81)	586-0582-5-55	FH12-6S-0.5SH(55)	Partial gold plating	Full gold plating
291	586-0607-4-51	FH12-6S-1SH(51)	586-0582-5-55	FH12-6S-0.5SH(55)	Tin reflow plating	Gold plating
292	586-0744-5-84	FH12-8S-0.5SH(54)	586-0607-4-55	FH12-6S-1SH(55)	Tin reflow plating	Gold plating
293	586-0579-0-81	FH12-8S-1SH(81)	586-0744-5-55	FH12-8S-0.5SH(55)	Partial gold plating	Full gold plating
294	586-0554-0-80	FH12A-20S-0.5SH(80)	586-0579-0-55	FH12-8S-1SH(55)	Tin reflow plating	Gold plating
295	586-0663-5-80	FH12A-26S-0.5SH(80)	586-0554-0-55	FH12A-20S-0.5SH(55)	Tin reflow plating	Gold plating
296	586-0653-1-50	FH12F-12S-0.5SH(55)	586-0663-5-55	FH12A-26S-0.5SH(55)	Tin reflow plating	Gold plating
297	586-0680-4-55	FH12F-15S-0.5SH(55)			-	-
298	586-0673-9-55	FH12F-16S-0.5SH(55)			-	-
299	586-0636-2-63	FH12F-20S-0.5SH(63)			-	-
300	586-0630-6-55	FH12F-22S-0.5SH(55)			-	-
301	586-0733-9-55	FH12F-25S-0.5SH(55)			-	-
302	586-0627-1-55	FH12F-26S-0.5SH(55)			-	-
303	586-0643-8-55	FH12F-28S-0.5SH(55)			-	-
304	586-0705-3-55	FH12F-32S-0.5SH(55)			-	-
305	586-0677-0-55	FH12F-34S-0.5SH(55)			-	-
306	586-0656-0-55	FH12F-36S-0.5SH(55)			-	-
307	586-0635-0-55	FH12F-40S-0.5SH(55)			-	-
308	586-0738-2-55	FH12F-8S-0.5SH(55)			-	-
309	586-0737-0-55	FH12S-26S-1SH(55)			-	-
310	586-0640-0-15	FH12S-40S-0.5SH(15)			-	-
311	586-0642-5-81	FH12S-50S-0.5SH(81)	586-0642-5-55	FH12S-50S-0.5SH(55)	Tin reflow plating	Gold plating
312	586-0691-0-81	FH12S-53S-0.5SH(81)	586-0691-0-55	FH12S-53S-0.5SH(55)	Tin reflow plating	Gold plating
313	580-0405-1-10	FH19C-13S-0.5SH(10)			-	-
314	580-0408-0-10	FH19C-17S-0.5SH(10)			-	-
315	580-0401-0-10	FH19C-27S-0.5SH(10)	We have no plan to sell substitute products.		-	-
316	580-0411-4-18	FH19C-7S-0.5SH(18)	We're sorry to cause any inconvenience to you.		-	-
317	580-0512-1-34	FH19SC-12S-0.5SH(34)			-	-
318	580-0518-8-09	FH19SC-13S-0.5SH(09)			-	-
319	580-0519-0-09	FH19SC-18S-0.5SH(09)	580-1248-0-50	FH34SRJ-18S-0.5SH(50)	Front flip	Back flip
320	580-0502-8-34	FH19SC-20S-0.5SH(34)			-	-
321	580-0516-2-09	FH19SC-27S-0.5SH(09)			-	-
322	580-0513-4-09	FH19SC-28S-0.5SH(09)			-	-
323	580-2602-3-00	FH19SD-16S-0.5SH			-	-
324	586-1317-0-05	FH23-15S-0.3SHW(05)			-	-
325	586-1317-0-10	FH23-15S-0.3SHW(10)			-	-
326	586-1300-7-05	FH23-17S-0.3SHW(05)			-	-
327	586-1314-1-10	FH23-21S-0.3SHW(10)			-	-
328	586-1324-5-10	FH23-23S-0.3SHW(10)			-	-
329	586-1302-2-05	FH23-31S-0.3SHW(05)			-	-
330	586-1304-8-10	FH23-33S-0.3SHW(10)			-	-
331	586-1306-3-10	FH23-39S-0.3SHW(10)			-	-
332	586-1318-2-10	FH23-45S-0.3SHW(10)			-	-
333	586-1312-6-10	FH23-51S-0.3SHW(10)			-	-
334	586-1310-0-10	FH23-61S-0.3SHW(10)			-	-
335	586-1818-5-11	FH26-60(30)SB-1SH(11)	We have no plan to sell substitute products.		-	-
			We're sorry to cause any inconvenience to you.		-	-

No.	Current product		Substitute product		Remarks	
	Product code	Product name	Product code	Product name	Current product	Substitute product
336	586-1811-6-80	FH28-60S-0.5SH(80)	586-1811-6-05	FH28-60S-0.5SH(05)	Tin reflow plating	Gold plating
337	586-1855-1-05	FH28B-20S-0.5SH(05)			-	-
338	586-1855-1-98	FH28B-20S-0.5SH(98)			-	-
339	586-1847-3-98	FH28B-40S-0.5SH(98)			-	-
340	586-1840-4-98	FH28B-50S-0.5SH(98)			-	-
341	586-1846-0-98	FH28B-68S-0.5SH(98)			-	-
342	586-1856-4-05	FH28BH-80S-0.5SH(05)			-	-
343	586-1856-4-98	FH28BH-80S-0.5SH(98)			-	-
344	586-1819-8-06	FH28D-68S-0.5SH(06)	586-1819-8-05	FH28D-68S-0.5SH(05)	Metal fitting tin plating: 3µm	Metal fitting tin plating: 1µm
345	586-1819-8-39	FH28D-68S-0.5SH(39)			-	-
346	580-0313-5-99	FH29B-40S-0.2SHW(99)			-	-
347	580-0314-8-05	FH29B-44S-0.2SHW(05)	580-0337-3-05	FH29DJ-44S-0.2SHW(05)	Without metal fitting Halogen containing	With metal fitting Halogen free
348	580-0319-1-05	FH29B-90S-0.2SHW(05)	580-0340-8-05	FH29DJ-90S-0.2SHW(05)	Without metal fitting Halogen containing	With metal fitting Halogen free
349	580-0319-1-99	FH29B-90S-0.2SHW(99)	580-0340-8-99	FH29DJ-90S-0.2SHW(99)	Without metal fitting Halogen containing	With metal fitting Halogen free
350	580-0332-0-05	FH29BF-100S-0.2SHW(05)	580-0335-8-05	FH29DJ-100S-0.2SHW(05)	Without metal fitting	With metal fitting
351	580-0333-2-05	FH29BF-120S-0.2SHW(05)	580-0342-3-05	FH29DJ-120S-0.2SHW(05)	Without metal fitting	With metal fitting
352	580-0331-7-88	FH29BJ-34S-0.2SHW(88)			-	-
353	580-0330-4-05	FH29BJ-60S-0.2SHW(05)	580-0343-6-05	FH29DJ-60S-0.2SHW(05)	Without metal fitting	With metal fitting
354	580-0330-4-99	FH29BJ-60S-0.2SHW(99)	580-0343-6-99	FH29DJ-60S-0.2SHW(99)	Without metal fitting	With metal fitting
355	580-0329-5-99	FH29BJ-80S-0.2SHW(99)	580-0341-0-99	FH29DJ-80S-0.2SHW(99)	Without metal fitting	With metal fitting
356	580-0334-5-99	FH29BJ-90S-0.2SHW(99)	580-0340-8-99	FH29DJ-90S-0.2SHW(99)	Without metal fitting Halogen containing	With metal fitting Halogen free
357	580-0325-4-48	FH29BW-22S-0.2SHW(48)			-	-
358	580-0323-9-88	FH29BW-24S-0.2SHW(88)			-	-
359	580-0324-1-05	FH29BW-44S-0.2SHW(05)	580-0337-3-05	FH29DJ-44S-0.2SHW(05)	Without metal fitting	With metal fitting
360	580-1307-8-10	FH33-19S-0.5SH(10)	580-1332-5-10	FH33J-19S-0.5SH(10)	Halogen containing	Halogen free
361	580-1307-8-40	FH33-19S-0.5SH(40)			-	-
362	580-1313-0-10	FH33-4S-0.5SH(10)	580-1329-0-10	FH33J-4S-0.5SH(10)	Halogen containing	Halogen free
363	580-1324-7-40	FH33J-10S-0.5SH(40)			-	-
364	580-1331-2-99	FH33J-16S-0.5SH(99)			-	-
365	580-1332-5-10	FH33J-19S-0.5SH(10)			-	-
366	580-1332-5-48	FH33J-19S-0.5SH(48)			-	-
367	580-1332-5-99	FH33J-19S-0.5SH(99)			-	-
368	580-1325-0-40	FH33MHJ-65S-0.4SH(40)			-	-
369	580-1325-0-45	FH33MHJ-65S-0.4SH(45)			-	-
370	580-1321-9-10	FH33W-6S-0.5SH(10)			-	-
371	580-1321-9-48	FH33W-6S-0.5SH(48)			-	-
372	580-2915-9-44	FH35C-39S-0.3SHW(44)			-	-
373	580-2909-6-35	FH35C-45S-0.3SHW(35)			-	-
374	580-2903-0-25	FH35RW-21S-0.3SHW(25)			-	-
375	580-1618-8-50	FH36-15S-0.3SHW(50)	580-1623-8-50	FH36W-15S-0.3SHW(50)	Halogen containing	Halogen free
376	580-1619-0-50	FH36-25S-0.3SHW(50)	580-1610-6-50	FH36W-25S-0.3SHW(50)	Halogen containing	Halogen free
377	580-1615-0-50	FH36-33S-0.3SHW(50)	580-1622-5-50	FH36W-33S-0.3SHW(50)	Halogen containing	Halogen free
378	580-1604-3-10	FH36-35S-0.3SHW(10)	580-1604-3-50	FH36-35S-0.3SHW(50)	Contact with different shapes	Standard
379	580-1601-5-10	FH36-51S-0.3SHW(10)	580-1605-6-50	FH36W-51S-0.3SHW(50)	Halogen containing Contact with different shapes	Halogen free Standard
380	580-1601-5-50	FH36-51S-0.3SHW(50)	580-1605-6-50	FH36W-51S-0.3SHW(50)	Halogen containing	Halogen free
381	580-1600-2-50	FH36-61S-0.3SHW(50)	580-1611-9-50	FH36W-61S-0.3SHW(50)	Halogen containing	Halogen free
382	580-1610-6-99	FH36W-25S-0.3SHW(99)			-	-
383	580-1806-8-43	FH39-25S-0.3SHW(43)			-	-
384	580-1806-8-99	FH39-25S-0.3SHW(99)			-	-
385	580-1805-5-99	FH39-27S-0.3SHW(99)			-	-
386	580-1807-0-43	FH39-29S-0.3SHW(43)			-	-
387	580-1817-4-99	FH39J-23S-0.3SHW(99)			-	-
388	580-1819-0-99	FH39J-27S-0.3SHW(99)			-	-
389	580-1814-6-10	FH39J-33S-0.3SHW(10)			-	-
390	580-1814-6-99	FH39J-33S-0.3SHW(99)			-	-
391	580-2110-9-00	FH40-60(30)SB-1SV			-	-
392	580-2110-9-99	FH40-60(30)SB-1SV(99)			-	-
393	580-2112-4-99	FH40-80(40)SB-1SV(99)			-	-
394	580-2208-1-00	FH41-28S-0.5SH			-	-
395	580-2810-0-66	FH43B-21S-0.2SHW(66)	580-2208-1-05	FH41-28S-0.5SH(05)	Ground contact with different shape	Standard
396	580-2804-8-66	FH43B-25S-0.2SHW(66)	580-2822-0-10	FH43BW-21S-0.2SHW(10)	Halogen containing Metal fitting gold plating	Halogen free Metal fitting tin plating
397	580-2812-6-10	FH43B-45S-0.2SHW(10)	580-2830-0-10	FH43BW-25S-0.2SHW(10)	Halogen containing Metal fitting gold plating	Halogen free Metal fitting tin plating
398	580-2802-2-10	FH43B-81S-0.2SHW(10)	580-2815-4-10	FH43BW-45S-0.2SHW(10)	Halogen containing	Halogen free
399	580-2802-2-66	FH43B-81S-0.2SHW(66)			-	-
400	580-2816-7-88	FH43BW-61S-0.2SHW(88)			-	-
401	580-3323-5-71	FH52-12S-1SH(71)			-	-
402	580-3500-9-00	FH54-41S-0.2SHW			-	-
403	321-4453-2-01	FL-2LP41-1.5DW-A-T-350ARS			-	-
404	321-4453-2-02	FL-2LP41-1.5DW-A-T-500ARS			-	-
405	321-4453-2-03	FL-2LP41-1.5DW-A-T-600ARS			-	-
406	321-4453-2-04	FL-2LP41-1.5DW-A-T-650ARS			-	-
407	573-1009-1-00	FX12MB-80P-0.4SV			-	-
408	573-1010-0-00	FX12MB-80S-0.4SV			-	-
409	575-3212-9-00	FX16-31P-GND(A)			-	-
410	755-0004-7-20	GT5-1S-HU(20)			-	-
411	755-0014-0-72	GT5-2/P-DS(72)			-	-
412	755-0045-4-35	GT5-2PP-HU(35)	755-0045-4-70	GT5-2PP-HU(70)	Packing unit: 500	Packing unit: 100 Ground terminal
413	755-0063-6-70	GT5-2PP-HU(A)(70)	755-0099-3-70	GT5-2PP-HU(C)(70)	PBT color: Brown, (A)	PBT color: Blue, (C)
414	755-0064-9-70	GT5-2PP-HU(B)(70)	755-0045-4-70	GT5-2PP-HU(70)	PBT color: Green, (B)	PBT color: Light Gray, (Standard)
415	757-0032-5-00	GT7RA-2022SC			-	-
416	763-0018-6-72	GT13SC-2/1PP-DS(72)			-	-
417	763-0013-2-30	GT13SC-2PP-DS(30)			-	-
418	763-0013-2-31	GT13SC-2PP-DS(31)			-	-
419	763-0013-2-72	GT13SC-2PP-DS(72)			-	-
420	763-0013-2-73	GT13SC-2PP-DS(73)			-	-
421	763-0074-7-00	GT13SH-1/1RS-HU			-	-
422	763-0075-0-00	GT13SH-1/1RS-R			-	-
423	321-4860-6-02	H.FL-2LP(A)-111-AC-(100)A			-	-
424	321-4860-6-03	H.FL-2LP(A)-111-AC-(150)A			-	-
425	321-1890-0-12	H.FL-2LP(A)-FH5B-A-(120)			-	-
426	321-1890-0-14	H.FL-2LP(A)-FH5B-A-(140)	321-2638-7-31	H.FL-2LP(A)-111-A-(140)	Cable: Made by Hitachi Metals (Black)	Cable: Made by Junkosha(Gray)
427	321-1890-0-16	H.FL-2LP(A)-FH5B-A-(160)	321-2638-7-32	H.FL-2LP(A)-111-A-(160)	Cable: Made by Hitachi Metals (Black)	Cable: Made by Junkosha(Gray)
428	321-1890-0-17	H.FL-2LP(A)-FH5B-A-(170)	321-2638-7-33	H.FL-2LP(A)-111-A-(170)	Cable: Made by Hitachi Metals (Black)	Cable: Made by Junkosha(Gray)
429	321-1890-0-21	H.FL-2LP(A)-FH5B-A-(210)			-	-
430	321-1890-0-22	H.FL-2LP(A)-FH5B-A-(220)	321-2638-7-20	H.FL-2LP(A)-111-A-(220)	Cable: Made by Hitachi Metals (Black)	Cable: Made by Junkosha(Gray)
431	321-1890-0-25	H.FL-2LP(A)-FH5B-A-(250)	321-2638-7-34	H.FL-2LP(A)-111-A-(250)	Cable: Made by Hitachi Metals (Black)	Cable: Made by Junkosha(Gray)
432	321-1388-6-19	H.FL-2LP-0733-A-(190)	321-0101-0-07	H.FL-2LP(A)-066N1-A-(190)	Cable: Made by Junkosha(Gray)	Cable: Made by Nissei Electric co., LTD.(Gray)
433	321-1567-5-27	H.FL-2LP-111-A-(170)	321-2638-7-33	H.FL-2LP(A)-111-A-(170)	Plug: 3 parts component	Plug: 2 parts component (Shell, Ferrule integrated structure)
434	321-1567-5-23	H.FL-2LP-111-A-(470)			-	-
435	321-2151-2-26	H.FL75-2LP-084H-A-190	321-5165-3-22	H.FL75-2LP-084N2-A-190	Cable: Made by Hitachi Metals (Black)	Cable: Made by Nissei Electric co., LTD.(Black)
436	321-2151-2-23	H.FL75-2LP-084H-A-800	321-5165-3-13	H.FL75-2LP-084N2-A-800	Cable: Made by Hitachi Metals (Black)	Cable: Made by Nissei Electric co., LTD.(Black)
437	321-2151-2-06	H.FL75-2LP-084H-A-90	321-5165-3-21	H.FL75-2LP-084N2-A-90	Cable: Made by Hitachi Metals (Black)	Cable: Made by Nissei Electric co., LTD.(Black)
438	321-2149-0-08	H.FL75-2LP-084N-A-110	321-5165-3-04	H.FL75-2LP-084N2-A-110	Cable: Made by Hitachi Metals (Black)	Cable: Made by Nissei Electric co., LTD.(Black)
439	321-2149-0-01	H.FL75-2LP-084N-A-40	321-5165-3-20	H.FL75-2LP-084N2-A-40	Cable: Made by Hitachi Metals (Black)	Cable: Made by Nissei Electric co., LTD.(Black)

No.	Current product		Substitute product		Remarks	
	Product code	Product name	Product code	Product name	Current product	Substitute product
440	321-2149-0-06	H.FL75-2LP-084N-A-90	321-5165-3-21	H.FL75-2LP-084N2-A-90	Cable: Made by Hitachi Metals (Black)	Cable: Made by Nissei Electric co., LTD.(Black)
441	321-2287-4-03	H.FL75-2LP-084N-A-TB-400			-	-
442	321-2286-1-02	H.FL75-2LP-084N-A-TG-300			-	-
443	321-2286-1-03	H.FL75-2LP-084N-A-TG-400			-	-
444	321-0005-0-01	H.FL75-2LP-084N-A-TG80B			-	-
445	321-2285-9-03	H.FL75-2LP-084N-A-TR-400			-	-
446	321-5987-2-02	H.FL75-2LPG-084N4-ATBK300			-	-
447	321-0052-0-01	H.FL75-2LPG084N4-A-TBK80B			-	-
448	321-5973-8-03	H.FL75-2LPG-084N4-ATG300			-	-
449	321-3464-3-17	H.FL-LP(A)-111-A-(77)B			-	-
450	321-3464-3-16	H.FL-LP(A)-111-A-(80)B			-	-
451	321-1908-4-10	H.FL-LP(A)-FHSB-A-(100)	321-3464-3-05	H.FL-LP(A)-111-A-(100)	Cable: Made by Hitachi Metals (Black)	Cable: Made by Junkosha(Gray)
452	321-1908-4-12	H.FL-LP(A)-FHSB-A-(120)	321-3464-3-23	H.FL-LP(A)-111-A-(120)	Cable: Made by Hitachi Metals (Black)	Cable: Made by Junkosha(Gray)
453	321-1908-4-25	H.FL-LP(A)-FHSB-A-(250)	321-3464-3-24	H.FL-LP(A)-111-A-(250)	Cable: Made by Hitachi Metals (Black)	Cable: Made by Junkosha(Gray)
454	321-1908-4-04	H.FL-LP(A)-FHSB-A-(40)	321-3464-3-21	H.FL-LP(A)-111-A-(40)	Cable: Made by Hitachi Metals (Black)	Cable: Made by Junkosha(Gray)
455	321-1908-4-06	H.FL-LP(A)-FHSB-A-(60)			-	-
456	321-1908-4-08	H.FL-LP(A)-FHSB-A-(80)	321-3464-3-10	H.FL-LP(A)-111-A-(80)	Cable: Made by Hitachi Metals (Black)	Cable: Made by Junkosha(Gray)
457	321-1280-0-05	H.FL-LP-FHSB-A-(60)	321-3464-3-22	H.FL-LP(A)-111-A-(60)	Cable: Made by Hitachi Metals (Black)	Cable: Made by Junkosha(Gray)
458	104-0396-7-76	HA18RB-4P(SW)(76)			-	-
459	104-0396-7-77	HA18RB-4P(SW)(77)			-	-
460	355-0064-6-40	HB-HRM-JJ(40)			-	-
461	355-0113-0-00	HDC-BNC-PJ			-	-
462	355-0023-9-40	HDC-BNC-PJ(75)(40)			-	-
463	355-0118-3-00	HDC-HRM-FJ			-	-
464	211-0667-9-05	HD-LN(M3)(05)			-	-
465	355-0087-1-40	HE-R-3(40)			-	-
466	550-0060-0-00	HIIF1-3-GPT			-	-
467	550-0029-0-00	HIIF1-T2226HC			-	-
468	675-0106-3-71	HIIF8-100DA-1.27DSA(71)	572-2408-6-71	FX2C-100S-1.27DSA(71)	External dimensions(L, W, H)7.8x74.55x8	External dimensions(L, W, H)7x73.55x9.5
469	675-0156-1-71	HIIF8-100DA-1.27DSAL(71)	572-2458-4-71	FX2C-100S-1.27DSAL(71)	External dimensions(L, W, H)7.8x74.55x8	External dimensions(L, W, H)7x73.55x9.5
470	675-0306-2-71	HIIF8-100PA-1.27DSA(71)	572-2208-7-71	FX2C-100P-1.27DSA(71)	External dimensions(L, W, H)7.8x74.55x7.3	External dimensions(L, W, H)7x73.55x8.5
471	675-0356-0-71	HIIF8-100PA-1.27DSAL(71)	572-2258-5-71	FX2C-100P-1.27DSAL(71)	External dimensions(L, W, H)7.8x74.55x7.3	External dimensions(L, W, H)7x73.55x8.5
472	675-0101-0-71	HIIF8-40DA-1.27DSA(71)	572-2403-2-71	FX2C-40S-1.27DSA(71)	External dimensions(L, W, H)7.8x36.45x7.3	External dimensions(L, W, H)7x35.45x8.5
473	675-0301-9-71	HIIF8-40PA-1.27DSA(71)	572-2203-3-71	FX2C-40P-1.27DSA(71)	External dimensions(L, W, H)7.8x36.45x7.3	External dimensions(L, W, H)7x35.45x8.5
474	675-0105-0-71	HIIF8-80DA-1.27DSA(71)	572-2407-3-71	FX2C-80S-1.27DSA(71)	External dimensions(L, W, H)7.8x61.85x8	External dimensions(L, W, H)7x60.85x9.5
475	675-0305-0-71	HIIF8-80PA-1.27DSA(71)	572-2207-4-71	FX2C-80P-1.27DSA(71)	External dimensions(L, W, H)7.8x61.85x7.3	External dimensions(L, W, H)7x60.85x8.5
476	355-0027-0-41	HLS-JJ-4(41)			-	-
477	750-0003-2-00	HMKS-4FH			-	-
478	750-0014-9-00	HMKS-4FH-01			-	-
479	750-0006-0-00	HMKS-AAT			-	-
480	750-0015-1-00	HMKS-AAT-01			-	-
481	750-0007-3-00	HMKS-CRC			-	-
482	750-0011-0-00	HMKS-CRC(AL)			-	-
483	750-0001-7-00	HMKS-JT			-	-
484	750-0012-3-00	HMKS-JT-01			-	-
485	750-0008-6-00	HMKS-LP			-	-
486	750-0009-9-00	HMKS-MCS			-	-
487	750-0005-8-00	HMKS-STR			-	-
488	750-0010-8-01	HMKS-TOOL-UNIT(01)			-	-
489	710-0258-4-00	HMU-A-P1.1-K6			-	-
490	218-0023-0-54	HNC2-2.5P-3DS(54)	218-0023-0-55	HNC2-2.5P-3DS(55)	Contact with different shapes Pure tin reflow	Contact with standard shape Pure tin reflow
491	218-0014-0-06	HNC2-2.5S-8(06)	218-0014-0-00	HNC2-2.5S-8	Display of case material	No display of case material
492	587-0060-6-00	HP5-123P-1.27W			-	-
493	587-0060-6-04	HP5-123P-1.27W(04)			-	-
494	587-0035-9-00	HP5-189(189G)P-1.27W			-	-
495	587-0135-3-00	HP5-189(189JP)P-1.27W			-	-
496	587-0040-9-00	HP5-189(64P)-1.27W			-	-
497	587-0011-0-00	HP5-189P-1.27W			-	-
498	587-0118-4-00	HP5-189PB-1.27W			-	-
499	587-0145-7-00	HP5-252(252J)PB-1.27W			-	-
500	587-0128-8-00	HP5-252P-1.27W			-	-
501	587-0134-0-00	HP5-252PB-1.27W			-	-
502	587-0134-0-04	HP5-252PB-1.27W(04)			-	-
503	587-0004-5-00	HP5-ﾌﾗﾝｼﾞﾊﾞﾝﾄﾞ189A			-	-
504	587-0024-2-00	HP5-ﾌﾗﾝｼﾞﾊﾞﾝﾄﾞ189A(189H)			-	-
505	323-0862-2-00	HRM(G)-300-430B			-	-
506	350-0046-2-00	HRM-0141-CCT			-	-
507	323-0835-0-00	HRM-100-3.58PJSG-1	323-0361-7-00	HRM-103-1	Flange part screw hole : M2.3	Flange part screw hole : φ2.6
508	323-0339-8-40	HRM-100-32(40)	323-0251-9-40	HRM-100-32S(40)	Shell: Gold plating	Shell: Passivate
509	323-0464-0-41	HRM-100-36A-1(41)			-	-
510	323-0606-2-40	HRM-185(40)			-	-
511	323-0563-1-40	HRM-200-2.5DFXL(40)	323-0686-1-40	HRM-202S-2.5DQ(S)(40)	Outer: Brass	Outer: Stainless steel
512	323-0457-4-40	HRM-200-2B-2C(40)	323-0412-6-40	HRM-200-2S-C(40)	Outer: Brass	Outer: Stainless steel
513	323-0402-2-40	HRM-200-2B-C(40)	323-0500-1-40	HRM-200-2S-1C(40)	Outer: Brass	Outer: Stainless steel
514	323-0514-6-40	HRM-200-7B-2C(40)	323-0799-8-40	HRM-200-1.5JBN(40)	Crimping tool: HT303/UM.MSS-T-1	Crimping tool: HT303/HRM-T-4
515	323-0443-0-40	HRM-200-9B-C(40)	323-0900-0-00	HRM-200-1.5BPJBN	Crimping tool: HT303/UM.MSS-T-1	Crimping tool: HT303/HRM-T-4
516	323-0706-7-40	HRM-202B-2.5DGXC(40)	323-0686-1-40	HRM-202S-2.5DQ(S)(40)	Outer: Brass	Outer: Stainless steel
517	323-0239-3-41	HRM-300-107S(41)	323-0239-3-40	HRM-300-107S(40)	Without male in-line terminal	With male in-line terminal
518	323-0224-6-40	HRM-300-114S(40)			-	-
519	323-0222-0-00	HRM-300-124S			-	-
520	323-0263-8-40	HRM-300-127S(40)			-	-
521	323-0397-4-41	HRM-300-169S-1(41)			-	-
522	323-0664-9-00	HRM-300-325S			-	-
523	355-0078-0-00	HRM-300-340S			-	-
524	355-0103-6-40	HRM-300B-BN4-1(40)			-	-
525	323-0068-2-40	HRM-311S(40)			-	-
526	323-0069-5-40	HRM-312S(40)			-	-
527	323-0093-0-40	HRM-400-14(40)			-	-
528	323-0264-0-40	HRM-400-38A(40)			-	-
529	355-0121-8-00	HRM-400-54S-1			-	-
530	355-0115-5-00	HRM-400-59S			-	-
531	323-0028-8-40	HRM-408(40)			-	-
532	323-0077-3-40	HRM-408S(40)			-	-
533	313-0195-2-40	HRM-500-10S(40)			-	-
534	313-0506-0-40	HRM-500-22S(40)			-	-
535	313-0508-6-40	HRM-500-24S(40)			-	-
536	323-0098-3-09	HRM-510B(09)			-	-
537	323-0101-6-40	HRM-510E(40)			-	-
538	311-0380-1-40	HRM-556B-5A(40)			-	-
539	311-0380-1-41	HRM-556B-5A(41)			-	-
540	353-0017-3-70	HRM-601A(70)	353-0057-8-50	HRM-601(50)	Few screw thread type	Standard
541	321-4114-7-01	HRMBS-P-1.5DHV-730RS			-	-
542	313-0323-0-40	HRM-HX-R-1(40)			-	-
543	311-0398-7-40	HRMJ-H.FLJ-WPA(40)			-	-
544	311-0233-7-40	HRMJ-H.FLP(40)	311-0264-0-40	HRMJ-H.FLP-3(40)	H.FL side lock mechanism available	No H.FL side lock mechanism available
545	311-0365-8-40	HRMJ-H.FLP-5(40)			-	-
546	311-0287-6-40	HRMJ-HRMP-4	311-0221-8-00	HRMJ-HRMP-2	HRM insulator punch fixed	HRM insulator ring fixed
547	311-0402-2-00	HRMJ-MCXP(40)	311-0449-6-00	HRMJ-MCXP-1	No MCX side fitting part insulator	No MCX side fitting part insulator available
548	311-0318-8-40	HRMJ-PO51J(40)			-	-
549	311-0334-4-40	HRMJ-PO62AJ(40)	311-0306-9-40	HRMJ-PO62J-A(40)	Maximum diameter:φ9	Maximum diameter:φ6.35
550	311-0392-0-40	HRMJ-PODJ-PA(40)			-	-
551	311-0373-6-40	HRMJ-U.FLP-LA-3(40)			-	-
552	333-0064-9-00	HRMM-200-2S-C			-	-

No.	Current product		Substitute product		Remarks			
	Product code	Product name	Product code	Product name	Current product	Substitute product		
553	333-0054-5-40	HRMM-202-1.5DQS(40)	We have no plan to sell substitute products.		-	-		
554	333-0053-2-40	HRMM-208-1.5DQS(40)	We're sorry to cause any inconvenience to you.		-	-		
555	333-0056-0-40	HRMM-208-1-C(40)	333-0056-0-41	HRMM-208-1-C(41)	Heat-shrinkable tubing: SUMITUBE A	Heat-shrinkable tubing: SUMITUBE F(Z)		
556	333-0022-9-40	HRMM-208-2(40)	We have no plan to sell substitute products. We're sorry to cause any inconvenience to you.		-	-		
557	321-4280-6-03	HRMM-2LP-FCCAF1-L4-262RS			-	-		
558	333-0060-8-40	HRMM-300-26-2(40)			-	-		
559	333-0047-0-40	HRMM-400-11E-1(40)			-	-		
560	353-0120-2-50	HRMM-602A(50)			-	-		
561	333-0042-6-00	HRMM-A-JJ-1			-	-		
562	333-0040-0-00	HRMM-A-PJ			-	-		
563	321-4498-0-04	HRMM-LP-1.5DHV-A-1-140RS			-	-		
564	321-4498-0-02	HRMM-LP-1.5DHV-A-1-290RS			-	-		
565	321-4498-0-03	HRMM-LP-1.5DHV-A-1-300RS			-	-		
566	321-4279-7-02	HRMM-LP-DTR178-12-460RS	-	-				
567	323-0854-4-40	HRM-P200-1.5WBN(40)	323-0710-4-40	HRM-200-1.5WPBN-S(40)	Coupling: Brass	Coupling: Stainless steel		
568	323-0860-7-00	HRM-PJ100-2.19BG2	We have no plan to sell substitute products. We're sorry to cause any inconvenience to you.		-	-		
569	323-0861-0-00	HRM-PJ100-3.58BG2	323-0857-2-00	HRM-100-3.58PJBG2	Full length: 14.25mm	Full length: 13.98mm		
570	321-4077-2-01	HRMPJ1-PO62P-F0-LA1-225RS	We have no plan to sell substitute products. We're sorry to cause any inconvenience to you.		-	-		
571	321-4077-2-02	HRMPJ1-PO62P-F0-LA2-225RS			-	-		
572	321-5931-8-02	HRMP-PO51MJ-1.5W-A10-250B			-	-		
573	321-5931-8-03	HRMP-PO51MJ-1.5W-A11-250B			-	-		
574	321-5930-5-01	HRMP-PO51MJ-1.5W-A1-1300A			-	-		
575	321-5931-8-04	HRMP-PO51MJ-1.5W-A12-250B			-	-		
576	321-5931-8-05	HRMP-PO51MJ-1.5W-A13-250B			-	-		
577	321-5931-8-06	HRMP-PO51MJ-1.5W-A14-250B			-	-		
578	321-5931-8-07	HRMP-PO51MJ-1.5W-A15-250B			-	-		
579	321-5931-8-08	HRMP-PO51MJ-1.5W-A16-250B			-	-		
580	321-5166-6-01	HRMP-PO51MJ-1.5W-A1-780			-	-		
581	321-5930-5-02	HRMP-PO51MJ-1.5W-A2-1300A			-	-		
582	321-5166-6-02	HRMP-PO51MJ-1.5W-A2-780			-	-		
583	321-5930-5-03	HRMP-PO51MJ-1.5W-A3-1300A			-	-		
584	321-5166-6-03	HRMP-PO51MJ-1.5W-A3-780			-	-		
585	321-5930-5-04	HRMP-PO51MJ-1.5W-A4-1300A			-	-		
586	321-5930-5-05	HRMP-PO51MJ-1.5W-A5-1300A			-	-		
587	321-5930-5-06	HRMP-PO51MJ-1.5W-A6-1300A			-	-		
588	321-5930-5-07	HRMP-PO51MJ-1.5W-A7-1300A			-	-		
589	321-5931-8-01	HRMP-PO51MJ-1.5W-A9-250B			-	-		
590	321-5166-6-04	HRMP-PO51MJ-1.5W-B1-780			-	-		
591	321-5166-6-05	HRMP-PO51MJ-1.5W-B2-780			-	-		
592	321-5166-6-06	HRMP-PO51MJ-1.5W-B3-780			-	-		
593	321-4403-4-00	HRMP-SMPMJ-FCCA1-AT-60RS			We have no plan to sell substitute products. We're sorry to cause any inconvenience to you.		-	-
594	321-4482-0-03	HRMP-SMPMJ-FCCA1-AA185RS					-	-
595	321-4482-0-01	HRMP-SMPMJ-FCCA1-AA46RS					-	-
596	321-4482-0-02	HRMP-SMPMJ-FCCA1-AA65RS					-	-
597	353-0001-3-50	HRM-TM-025(50)					-	-
598	353-0015-8-50	HRM-TM-025-10(50)					-	-
599	353-0027-7-50	HRM-TM-025-11(50)					-	-
600	353-0013-2-50	HRM-TM-025-6(50)	-	-				
601	353-0023-6-50	HRM-TM-025-9(50)	-	-				
602	353-0080-0-40	HRM-TM-10-2(40)	-	-				
603	704-0226-6-63	HSC2-PH3-B1(63)	-	-				
604	704-0227-9-63	HSC2-PH3-B2(63)	-	-				
605	821-0004-8-40	HSC2-TM-P1(40)	-	-				
606	550-0280-6-00	HT102/DF1BE-30P	-	-				
607	353-0112-4-00	HT-2-1	-	-				
608	640-1082-9-71	IC11S-BD-PEJL(71)	-	-				
609	640-1081-6-71	IC11S-BD-PEJR(71)	-	-				
610	640-1065-0-71	IC11S-BUR-PEJR(71)	-	-				
611	640-0026-2-72	IC1G-68PD-1.27DS-EJ-E(72)	-	-				
612	640-0032-5-72	IC1GA-68PD-1.27DS-EJ-E(72)	-	-				
613	641-2156-5-23	IT2-380PM1-17H(23)	-	-				
614	641-2155-2-23	IT2-380PS-17H(23)	-	-				
615	641-2255-7-03	IT2-380PS-26H(03)	-	-				
616	641-2001-9-03	IT2-380S-BGA(03)	641-2001-9-36	IT2-380S-BGA(36)	Soft tray, Gold plating: 0.76µm	Hard tray(Deoxygenated packing) + Included in suction cap + Gold plating: 0.2µm		
617	114-2026-6-75	JR16WR-10P(75)	114-2026-6-31	JR16WR-10P(31)	O ring: SIR	O ring: NBR		
618	301-0001-4-45	JUG-536/U(45)	301-0001-4-40	JUG-536/U(40)	Outer: Nickel plating	Outer: Silver plating		
619	588-0255-1-71	MA18A-44DA-2DSB(71)	621-0766-0-71	A3D-44DA-2DSE(71)	External dimensions(4X44x4.5), Lead length: 2.5mm	External dimensions(4X44x4.2), Lead length: 1.27mm		
620	588-0398-9-81	MA43D-44D-2DSL(81)	We have no plan to sell substitute products. We're sorry to cause any inconvenience to you.		-	-		
621	589-0173-5-00	MCN43A-30P-2.54PFD			-	-		
622	312-0235-9-40	MCX-R-PF(40)			-	-		
623	243-0001-8-00	MD60-19P			-	-		
624	243-3001-4-00	MD60X-19P			-	-		
625	547-0040-0-32	MDF7-12S-2.54DSA(32)			-	-		
626	547-0139-5-57	MDF7-13S-2.54DSA(57)			-	-		
627	547-0146-0-55	MDF7-23S-2.54DSA(55)			-	-		
628	547-0146-0-56	MDF7-23S-2.54DSA(56)			-	-		
629	547-0147-3-56	MDF7-24S-2.54DSA(56)			-	-		
630	547-0421-3-01	MDF38-10P-2.54DSA(01)			-	-		
631	547-0422-6-01	MDF38-14P-2.54DSA(01)			-	-		
632	703-0083-4-51	MF44S-WRL03-1200(51)			-	-		
633	709-9006-0-20	MFL22-P1-FSL1-100M(20)			-	-		
634	709-9004-5-20	MFL22-P1-FSL1-30M(20)			-	-		
635	709-9005-8-20	MFL22-P1-FSL1-60M(20)			-	-		
636	703-1011-9-20	MFL22R1-CA-AM(20)			-	-		
637	703-1012-1-20	MFL22R1-CA-BM(20)			-	-		
638	703-1013-4-20	MFL22R1-CA-CM(20)			-	-		
639	703-1014-7-20	MFL22R1-CA-DM(20)			-	-		
640	703-1015-0-20	MFL22R1-CA-EM(20)			-	-		
641	703-1016-2-20	MFL22R1-CA-FM(20)			-	-		
642	230-0234-0-50	MJ-R-PC(50)			-	-		
643	364-0006-0-00	MK-6AT-TM-1			-	-		
644	337-0026-5-40	ML51-LR-1A(40)			-	-		
645	339-0014-9-40	MMCX-LP-FH5B-1(40)			339-0007-3-40	MMCX-LP-FH5B(40)	Height: 8.5mm	Height: 7mm
646	339-0015-1-40	MMCX-P-FCCA2F(40)			We have no plan to sell substitute products. We're sorry to cause any inconvenience to you.		-	-
647	325-0001-4-42	MP2.5CP(42)			325-0001-4-40	MP2.5CP(40)	Heat-shrinkable tubing: 20mm	Heat-shrinkable tubing: 15mm
648	325-0013-3-40	MP2.5CPJ-1(40)			325-0005-5-40	MP2.5CPJ(40)	Panel thickness: 3mm	Panel thickness: 1mm
649	206-2446-5-00	MQ212-10P			We have no plan to sell substitute products. We're sorry to cause any inconvenience to you.		-	-
650	206-2477-9-00	MQ212-10S	-	-				
651	206-2506-5-00	MQ212B-10P	-	-				
652	313-1102-7-40	MRF01-J-178(40)	-	-				
653	311-0290-0-40	MRF01J-HRMJ(40)	-	-				
654	311-0289-1-40	MRF01P-HRMJ(40)	-	-				
655	313-1100-1-40	MRF01-PR-1(40)	-	-				
656	313-1101-4-40	MRF01-R-1(40)	-	-				
657	321-4152-6-01	MRF03-2X6P-SBCX75-600RS	-	-				
658	313-0570-0-40	MRF1.6/5.6-LR-PC-2(40)	-	-				
659	313-0535-9-40	MRF1.6/5.6-R-1(40)	-	-				
660	350-5000-9-00	MS-138-C(P)-T-1	-	-				
661	358-0300-6-00	MS-151-15LP-1	-	-				
662	358-0301-9-00	MS-151-15P-1	-	-				
663	358-0284-1-00	MS-156-088LP-H3	-	-				
664	358-0287-0-00	MS-180-HRMJ-F3	-	-				
665	350-0003-0-00	MSS.UM(1.5)-T	-	-				

No.	Current product		Substitute product		Remarks			
	Product code	Product name	Product code	Product name	Current product	Substitute product		
666	336-0034-7-01	N.UM-QP-1.5W(01)	336-0034-7-00	N.UM-QP-1.5W	Without heat-shrinkable tubing	Heat-shrinkable tubing available		
667	336-0029-7-00	N.UM-QP-FCCAVG1	We have no plan to sell substitute products.		-	-		
668	336-0025-6-40	N.UM-R-6(40)	We're sorry to cause any inconvenience to you.		-	-		
669	336-0011-1-40	N.UM-R-PC(40)	336-0031-9-40	N.UM-R-PC-4(40)	Full length: 10.6mm	Full length: 9.8mm		
670	301-0213-2-40	NC-R-26A-2(40)	We have no plan to sell substitute products. We're sorry to cause any inconvenience to you.		-	-		
671	329-0023-2-40	NF-R-3(40)			-	-		
672	329-0002-2-40	NF-WP-TVEFCX(40)			-	-		
673	311-0295-4-40	NJ-E.FLJ-PA(40)			-	-		
674	301-0259-3-40	N-PA-JP-1(40)			-	-		
675	311-0299-5-40	NP-HRMJ-PA-1(40)			-	-		
676	301-0333-4-00	N-PJ-085-1			-	-		
677	301-0277-5-40	N-PJ-1.5DQS-1(40)			-	-		
678	301-0331-9-00	N-PP-FCCA0-F3			-	-		
679	301-0281-2-40	N-PR-9(40)			-	-		
680	301-0278-8-41	N-R-40(41)			-	-		
681	301-0278-8-43	N-R-40(43)			-	-		
682	301-0279-0-40	N-R-41(40)			-	-		
683	301-0300-5-40	N-R-47(40)			-	-		
684	301-0299-8-40	N-R-48(40)			-	-		
685	301-0242-0-40	N-WLBPJ-1.5DV-1(40)			-	-		
686	301-0274-7-40	N-WPJ-1.5DWH-1(40)			-	-		
687	301-0311-1-40	N-WPJ-FHSBH(40)			-	-		
688	234-0097-6-50	NX60TB-15SAA9-SP(50)			-	-		
689	334-0061-7-40	PLT1-R-3(40)			-	-		
690	312-0279-4-00	PO(ST)-LPP-085BF(4.8)-1	We have no plan to sell substitute products. We're sorry to cause any inconvenience to you.		-	-		
691	312-0263-4-00	PO(ST)-LPP-085F(4.8)N-1			-	-		
692	312-0265-0-00	PO(ST)-LPP-1.5DW(4.8)N-1			-	-		
693	312-0215-1-40	PO(ST)-PJ-085(16.6)(40)			-	-		
694	312-0221-4-40	PO(ST)-PJ-085(16.6)A(40)			-	-		
695	312-0238-7-40	PO(ST)-PJ-085(16.6)N(40)			-	-		
696	312-0261-9-00	PO(ST)-PJ-085(16.6)N-1			-	-		
697	312-0229-6-40	PO(ST)-PJ-085(16.8)A(40)			-	-		
698	312-0242-4-40	PO(ST)-PJ-085(16.8)N(40)			-	-		
699	312-0264-7-00	PO(ST)-PJ-085F(19.1)F			-	-		
700	312-0216-4-40	PO(ST)-PJ-141(16.6)(40)			-	-		
701	312-0156-4-40	PO(ST)-PR(40)			-	-		
702	312-0240-9-40	PO(ST)-R-(16.8)N(40)			-	-		
703	312-0228-3-40	PO(ST)-R-2(16.8)(40)			-	-		
704	312-0241-1-40	PO(ST)-R-2(16.8)N(40)			-	-		
705	312-0224-2-40	PO(ST)-R4-(16.8)(40)			-	-		
706	312-0226-8-40	PO(ST)-R4-(16.8)-1(40)			-	-		
707	312-0225-5-40	PO(ST)-R4-1(16.8)(40)			-	-		
708	312-0258-4-00	PO(ST)-R-7(16.6)N			-	-		
709	312-0272-5-00	PO(ST)-R-9(13.2)			-	-		
710	350-0054-0-00	PO113-T-1	-	-				
711	312-0203-2-00	PO5G-CONTACT/F2.5	We have no plan to sell substitute products. We're sorry to cause any inconvenience to you.		-	-		
712	312-0200-4-41	PO5G-J-1.5DHQS(41)			312-0200-4-40	PO5G-J-1.5DHQS(40)	Packing unit: 100	Packing unit: 1
713	321-4781-1-00	PO6-2LP-196/U-AC-M1-360RS			-	-	-	-
714	321-4777-4-00	PO6-2LP-196/U-A-M1-125RS			-	-	-	-
715	321-4778-7-00	PO6-2LP-196/U-A-M2-320RS			-	-	-	-
716	321-4281-9-00	PO6LP-PO51MEP-1.5EW-335RS			-	-	-	-
717	321-4282-1-00	PO6LP-PO51MP-1.5EW-307RS			-	-	-	-
718	321-4375-0-01	PO6-P-196/U-AA-800ARS			-	-	-	-
719	330-0431-9-40	PO21-J-FCCAF2(40)			-	-	-	-
720	330-0435-0-40	PO21-LP-178-1(40)			-	-	-	-
721	330-0440-0-40	PO21-LP-178-2(40)			-	-	-	-
722	330-0410-9-40	PO21-LR-2.1PC-1(40)			-	-	-	-
723	330-0420-2-40	PO21-LR-2.1PC-2(40)			-	-	-	-
724	330-0413-7-40	PO21-LR-2.5PC-1A(40)			-	-	-	-
725	330-0423-0-40	PO21-LR-2.5PC-2A(40)			-	-	-	-
726	330-0430-6-40	PO21-P-178(40)			-	-	-	-
727	330-0206-2-42	PO51-3P-PA(42)			-	-	-	-
728	330-0209-0-41	PO51-3TMP-PA(41)			-	-	-	-
729	311-0251-9-40	PO51EP-H.FLJ(40)			-	-	-	-
730	330-0216-6-40	PO51E-TMP-50-025(40)			-	-	-	-
731	330-0025-8-40	PO51-J-1.5DQS(40)	-	-	-	-		
732	330-0268-0-40	PO51ME-BR-PC(40)	-	-	-	-		
733	330-0268-0-41	PO51ME-BR-PC(41)	-	-	-	-		
734	330-0455-7-40	PO51M-J-FHSB(40)	-	-	-	-		
735	330-0456-0-40	PO51M-P-FHSB(40)	-	-	-	-		
736	330-0208-8-40	PO51-TMP-50-050(40)	-	-	-	-		
737	312-0075-4-40	PO53-PR-PC(40)	-	-	-	-		
738	312-0074-1-40	PO53-R-PC(40)	-	-	-	-		
739	350-0136-3-00	PO62A-T-1	-	-	-	-		
740	330-0446-6-40	PO62-J-085(40)	-	-	-	-		
741	330-0447-9-40	PO62-P-2.DGXC(40)	-	-	-	-		
742	330-0459-8-00	PO62-P-2.5DQS(3.8)	-	-	-	-		
743	330-0247-0-40	PO62-P-358T(40)	-	-	-	-		
744	330-0121-1-40	PO71-J-1.5(40)	-	-	-	-		
745	330-0101-4-40	PO71-P-1.5(40)	-	-	-	-		
746	350-0036-9-00	PO71-T-1	-	-	-	-		
747	330-0162-9-40	PO72-LP-1.5C-A(40)	-	-	-	-		
748	330-0168-5-40	PO72-LR-PC-A(40)	330-0166-0-40	PO72-LR-PC-1(40)	Height: 11.65mm	Height: 10mm		
749	330-0169-8-40	PO72-PR-PC-A(40)	-	-	-	-		
750	312-0146-0-40	PO73D-J-0.8DW(40)	-	-	-	-		
751	312-0136-7-40	PO73D-J-1.5DW(40)	-	-	-	-		
752	312-0175-9-40	PO73D-P-1.5DW(40)	-	-	-	-		
753	312-0128-1-40	PO73-P-1.5CV(40)	-	-	-	-		
754	312-0113-1-40	PO73-P-2.5CV(40)	-	-	-	-		
755	312-0181-1-41	PO73-P-3CT-S(41)	-	-	-	-		
756	312-0130-0-40	PO73-P-3CV(40)	-	-	-	-		
757	312-0111-6-41	PO73-P-3CV(41)	-	-	-	-		
758	326-0137-2-41	POB-BR-PC(41)	-	-	-	-		
759	326-0112-1-41	POB-P-1.5DW(41)	326-0112-1-42	POB-P-1.5DW(42)	Heat-shrinkable tubing: Gray	Heat-shrinkable tubing: Black		
760	326-0100-2-41	POB-P-2.5DW(41)	-	-	-	-		
761	326-0002-3-40	POB-P-85(40)	-	-	-	-		
762	326-0089-1-40	POB-PP-141(40)	-	-	-	-		
763	326-0099-5-40	POB-PP-85(40)	-	-	-	-		
764	326-0126-6-41	POB-PP-MSF219-F(41)	-	-	-	-		
765	326-0136-0-41	POB-R-30(41)	-	-	-	-		
766	350-0055-3-00	POD3-T-1	-	-	-	-		
767	327-0205-7-00	POD-LJ-1.5DW-1	-	-	-	-		
768	327-0005-8-40	POD-LJ-160D(40)	-	-	-	-		
769	327-0192-7-40	POD-LJ-85(40)	-	-	-	-		
770	327-0202-9-40	POD-LPR-PC(40)	-	-	-	-		
771	327-0097-6-40	POD-P-85A(40)	-	-	-	-		
772	327-0100-9-40	POD-P-DGM010(40)	-	-	-	-		
773	327-0199-6-40	POD-PJ-0733(40)	-	-	-	-		
774	350-0025-2-00	POD-T-2	-	-	-	-		
775	321-4075-7-00	POSTN-POBM-358T-PLA-FT7	-	-	-	-		
776	321-4076-0-00	POSTN-POBM-358T-PLA-FT8	-	-	-	-		
777	321-4075-7-01	POSTN-POBM-358T-PLB-FT7	-	-	-	-		
778	321-4076-0-01	POSTN-POBM-358T-PLB-FT8	-	-	-	-		
779	321-4075-7-02	POSTN-POBM-358T-PLC-FT7	-	-	-	-		
780	321-4076-0-02	POSTN-POBM-358T-PLC-FT8	-	-	-	-		
781	321-4065-3-01	POSTN-POBM-FCO-PLA1-207RS	-	-	-	-		
782	211-5153-9-57	RDAD-15SE1-PLC(L)(57)	-	-	-	-		

No.	Current product		Substitute product		Remarks	
	Product code	Product name	Product code	Product name	Current product	Substitute product
783	211-5302-7-50	RDEG1-9SE1-LNA(4-40)W2(50)			-	-
784	109-0745-6-72	RM15QPN-8PB(72)			-	-
785	109-0364-2-71	RM31TP-55P(71)			-	-
786	350-0044-7-00	S.FL2-T-1			-	-
787	305-0128-0-40	S-1.5DHQSPL(40)			-	-
788	305-0125-2-40	S-10DSFAP(40)			-	-
789	305-0127-8-40	S-5DSFAPL(40)			-	-
790	305-0148-8-00	S-BPJ-SF085			-	-
791	311-0054-8-40	SJ-BNCJ(40)			-	-
792	311-0060-0-40	SJ-BNCP(40)			-	-
793	703-0096-6-00	SL22S-F1A124-BB			-	-
794	305-0144-7-00	S-LBPJ-085-3			-	-
795	323-0833-4-40	SMA(R)-BPJ-088-2(40)			-	-
796	321-4481-8-04	SMPM-2J-FCCAF1-AA-135RS			-	-
797	321-4481-8-01	SMPM-2J-FCCAF1-AA-37RS			-	-
798	321-4481-8-02	SMPM-2J-FCCAF1-AA-40RS			-	-
799	321-4481-8-05	SMPM-2J-FCCAF1-AA-46RS			-	-
800	321-4481-8-06	SMPM-2J-FCCAF1-AA-50RS			-	-
801	321-4481-8-03	SMPM-2J-FCCAF1-AA-87RS			-	-
802	338-0503-9-00	SMPM-A-JJ-1270			-	-
803	338-0507-0-00	SMPM-J-FCCA2			-	-
804	305-0131-5-40	S-PJ-2.4DGXG(40)			-	-
805	305-0146-2-00	S-PJ-2.5DQS(3.8)			-	-
806	321-4052-1-01	SPJ2-PO62P-FC0-LA1-240RS			-	-
807	321-4052-1-02	SPJ2-PO62P-FC0-LA2-240RS			-	-
808	321-4396-0-00	SPJ-PO62P-2.5DHQS-130RS			-	-
809	305-0147-5-00	S-PJ-SF085			-	-
810	305-0151-2-00	S-PJ-SF085-1			-	-
811	312-0106-6-40	SPO1-P-1.5W(40)			-	-
812	312-0084-5-40	SPO1-PR-50(40)			-	-
813	312-0087-3-40	SPO1-R-50(40)			-	-
814	312-0018-0-40	SPO-P-75(40)			-	-
815	312-0007-4-40	SPO-R-75(40)			-	-
816	305-0122-4-40	S-R-30(40)			-	-
817	305-0130-2-40	S-R-35(40)			-	-
818	103-0415-3-00	SR40-14RD-32S			-	-
819	305-0137-1-00	S-WPJ-SF047			-	-
820	222-2967-7-00	TM25RS-5CNA-88			-	-
821	311-0361-7-40	TNC(R)J-U.FLJ-PA(40)			-	-
822	313-0573-8-40	TNC(R)-PJ-088-1(40)			-	-
823	311-0277-2-40	TNCJ-H.FLJ-BPA(40)			-	-
824	313-0382-0-41	TNC-P-1.5CR(41)	313-0400-0-40	TNC-P-1.5CR-1(40)	Connection tool: HT303/UM.MSS-T-1	Connection tool: HT303/HRM-T-4
825	313-0567-5-40	TNC-WPJ-141-1(40)			-	-
826	313-0568-8-40	TNC-WPJ-85-1(40)			-	-
827	313-0569-0-40	TNC-WPJ-FHSBH(40)			-	-
828	313-0228-0-40	TWT2-P-4(40)			-	-
829	321-5803-8-00	UFL-2LPVHF04N1TV-A73LHW			-	-
830	301-0003-0-46	UG-21D/U(46)	301-0003-0-47	UG-21D/U(47)	With cover, Outer: Shilver plating, Center: Shilver plating	No cover, Outer: Nickel plating Center: Gold plating
831	302-0001-0-56	UG-88/U(56)	302-0001-0-41	UG-88/U(41)	With cover, Outer: Shilver plating	No cover, Outer: Nickel plating
832	302-0034-0-43	UG-89/U(43)	302-0034-0-41	UG-89/U(41)	Contact: Shilver plating	Contact: Gold plating
833	318-0221-2-40	UM-LR-PC-2B(40)	318-0033-2-40	UM-LR-PC(41)	Dip post: 5.08mm	Dip post: 6mm
834	318-0115-5-42	UM-QP-2.5WCR3(42)	318-0115-5-41	UM-QP-2.5WCR3(41)	P shell gold plating	P shell nickel plating
835	318-0220-0-41	UM-QPJ-FHSB-1(41)	318-0220-0-40	UM-QPJ-FHSB-1(40)	Packing unit: 100	Packing unit: 1
836	318-0066-1-40	UM-QR-8(40)			-	-
837	321-5363-7-30	W.FL-2LPHF6-04N1TV-A-130			-	-
838	321-5404-2-29	W.FL-2LPHF6-04N2TV-A-72			-	-
839	331-0342-7-00	W.FL2-R-4			-	-
840	321-1895-4-01	XPI-2J-85-(115)			-	-
841	335-0027-5-40	XPI-J-85(40)			-	-
842	335-0022-1-00	XPI-P-19			-	-
843	335-0063-9-00	XPI-P-22			-	-
844	335-0043-1-00	XPI-P-2-3A-1			-	-
845	335-0007-8-00	XPI-P-2-3C(02)			-	-
846	335-0048-5-00	XPI-P-2-3C-1			-	-
847	335-0047-2-00	XPI-P-2-4A-1			-	-
848	335-0004-0-00	XPI-P-2-4C			-	-
849	335-0049-8-00	XPI-P-2-4C-1			-	-
850	353-0118-0-00	XPI-TM-025-10			-	-
851	353-0113-7-50	XPI-TM-025-4(50)			-	-
852	353-0115-2-00	XPI-TM-025-6			-	-
853	353-0116-5-00	XPI-TM-025-7			-	-
854	242-0073-2-00	ZX62WMD2-B-5PC			-	-

Acknowledgement

(Customer → Hirose Electric business representative)

Product Change Notification
Request for Your Acknowledgement

We acknowledge the changes and schedule of this notification.

Customer's name: _____

Acknowledgement stamp (or signature): _____

HIROSE ELECTRIC CO., LTD.

(Cut on this line)

Document Receipt

(Customer → Hirose Electric business representative)

Product Change Notification
Request for Your Acknowledgement

We received the document concerning the above.

Customer's name: _____

Acknowledgment stamp (or signature): _____

HIROSE ELECTRIC CO., LTD.